

	Type	Hits	Search Text	DBs
1	IS&R	0	("windmill").PN.	USPAT
2	BRS	1387	wind mill	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	2967801	(light emitter) or lamps or light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	480818	(light emitting diod\$3) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	3160757	S3 OR S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	208	S2 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	8	solar energy captur\$5 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	35362	solar (energy or power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	37	S6 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	646197	S5 and rotat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	219962	S10 and (wind or air)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	6844	S11 and solar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	152687	S5 with rotat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	1091	S13 and (air or wind) and solar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	511357	S5 and ((multi color) or colors or (blue and green and red))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	124258	S15 and rotat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	2104	S16 and (air or wind) and solar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	62	rotat\$6 (S5 with ((multi color) or colors or (blue and green and red)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	10815	S10 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	2606	S10 and "362"/\$.ccls. and (wind or air)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	150	S10 and "362"/\$.ccls. and (wind or air) and solar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	0	360/159,166,170,253,269, "209", "800".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
23	BRS	0	360/159,166,170,253,269,209,800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	0	360/159,166,170,253,269,209,800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	3958	362/159,166,170,253,269,209,800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	15838	rotat\$6 (\$3 OR \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	164	\$25 and \$26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	1185	290/44,55.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	6	\$26 and \$28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	267	40/479,480.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	0	\$30 and \$26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	215	136/243.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	0	\$32 and \$26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	300	323/906.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	0	\$34 and \$26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	170	\$27 or \$29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	5253	362/159,166,170,253,269,209,800,96,1 83,234.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	363928	(fan or windmill or (fan blad\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	301	\$37 and \$38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	1001994	(fan or windmill or (blad\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	1531	290/54,55.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	267	40/479,480.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	1474	"415"\$.ccls. and wind	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	282	"415"\$.ccls. and (wind turbine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
45	BRS	223	"415"/\$.cccls. and (wind turbine) and blad\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	83	"415"/\$.cccls. and (wind turbine) and blad\$3 and (light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	19	"415"/\$.cccls. and (wind turbine) and (blad\$3 with (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	370	416/5.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	87	"416"/5.cccls. and (blad\$3 with (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	2	"416"/5.cccls. and (blad\$3 with (light or lamp)) and solar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	268	(blad\$3 with (light or lamp)) and solar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	102	(blad\$3 with (light or lamp)) and (solar cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	481368	(light emitting diod\$3) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	14	((blad\$3 with ((light emitting diod\$3) or "LED"))) and (solar cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	2228	((blad\$3 with ((light emitting diod\$3) or "LED"))) and (solar cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	26	((blad\$3 with ((light emitting diod\$3) or "LED"))) and (multi color\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	70	((blad\$3 with ((light emitting diod\$3) or "LED"))) and (red and blue and green)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	79	S56 or S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	30	S56 or S57 and solar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	43475	S53 and ((multi color) or (green and (blue or red)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	14554	rotat\$4 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	625	rotat\$4 and S60 and solar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	132	rotat\$4 and S60 and solar and blad\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	67170	(lamp or bulb or light) with ((multi color) or (green and (blue or red)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	0	(lamp or bulb or light) with ((multi color) or (green and (blue or red))) with (rotat\$5 blad\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
66	BRS	2	(lamp or bulb or light) with ((multi color) or (green and (blue or red))) same (rotat\$5 blad\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	0	"416"/5.ccls. and (blad\$3 with ((multi color) (light or lamp)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	2	"416"/5.ccls. and (blad\$3 with ((red or blue or green) (light or lamp)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	1	"416"/5.ccls. and (blad\$3 with ((red or blue or green) (light or bulb)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	7	("416"/5.ccls. or "362"/\$.ccls.) and (blad\$3 with ((red or blue or green) (light or bulb)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	7	"362"/\$.ccls. and (blad\$3 with ((red or blue or green) (light or bulb)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	0	"362"/\$.ccls. and (blad\$3 with ((multi color) (light or bulb)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	2	"362"/\$.ccls. and (blad\$3 same ((multi color) (light or bulb)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	IS&R	1	("3723722").PN.	USPAT
75	BRS	8	("2124089"   "2290278"   "2333492"   "3174552").PN.	US-PGPUB; USPAT; USOCR
76	BRS	18	("3723722").URPN.	USPAT
77	BRS	8	("2124089"   "2290278"   "2333492"   "3174552").PN.	US-PGPUB; USPAT; USOCR
78	BRS	18	("3723722").URPN.	USPAT
79	BRS	11	("3174552"   "3701498"   "3723722"   "4881153"   "5028206"   "5072341"   "5082422"   "5437540"   "5810450"   "5876108").PN.	US-PGPUB; USPAT; USOCR
80	BRS	4	("6036331").URPN.	USPAT
81	BRS	0	"362"/\$.ccls. and (blad\$3 same ((multi color) (light bulb)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	2	"362"/\$.ccls. and (blad\$3 same ((multi color) (light (bulb or source or emitter))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	17	(blad\$3 same ((multi color) (light (bulb or source or emitter))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	18	fan and ((multi color) (light (bulb or source or emitter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	278	fan and ((red or green or blue ) (light (bulb or source or emitter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	21	fan and ((red and green and blue ) (light (bulb or source or emitter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
87	BRS	5	"362"/\$.ccls. and fan and ((red and green and blue ) (light (bulb or source or emitter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	0	"451"/\$.ccls. and fan and ((red and green and blue ) (light (bulb or source or emitter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	0	"415"/\$.ccls. and fan and ((red and green and blue ) (light (bulb or source or emitter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	0	"416"/\$.ccls. and fan and ((red and green and blue ) (light (bulb or source or emitter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	0	"290"/\$.ccls. and fan and ((red and green and blue ) (light (bulb or source or emitter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	IS&R	1	("5072341").PN.	USPAT
93	IS&R	0	("solarenergycaptur\$4system").PN.	USPAT
94	BRS	8	solar energy captur\$4 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	5	solar energy captur\$4 system and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	1	solar energy captur\$4 system and control and lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	3	solar energy captur\$4 system and control and (lamp or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	8469	(solar cell) and control and (lamp or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	2883	(solar cell) and control and (lamp or light) and rotat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	2	(solar cell) and control and ((lamp or light) with (rotat\$5 blade))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	31	(solar cell) and control and ((lamp or light) with (multi color))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	76	S99 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	722	362/153.1,470,464.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	BRS	865	417/44.1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
105	BRS	1587	S103 or S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	BRS	40	S105 and solar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
107	BRS	0	S100 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	38	S106 and (lamp or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB